

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Laurence P. Colton on December 3, 2008.

The application has been amended as follows:

In the abstract:

rewrote the abstract as follows:

--A door or wall element comprising castor carriers (21) having castors (12) which are movable on a runner (13) and securing members (28) having securing hooks (31, 32) which are disposed in the runner (13) and prevent the castors (12) from undesirably lifting off from the runner (13). The securing members (28) are mounted rotatably on castor axles (23) of the castors.--

In the claims:

claim 1,

line 9, deleted "transversely directed" and inserted --transversely directed with respect to and-- following "(23)"

line 16, deleted "on"

line 17, changed "rolls" to --rollably engages--

line 18, changed "attached to" to --mounted on--

line 24, changed "formed at" to --disposed--

line 25, inserted --on the hub (25)-- following "mounted" and deleted the last occurrence of "on"

line 26, deleted "the fixed hub (25)"

line 27, inserted --each-- following "members" and changed "with" to --, each said securing hook including a--

line 28, changed "projections" to --projection-- and changed "enter" to --extend into--

line 29, deleted "at both sides of the castor (12)"

line 30, inserted --with one of said anchoring members in front of said castor in a direction in which the castor rolls and another one of said anchoring members behind said castor in said direction,-- following "(18)"

line 31, changed "in the region of the runner limbs (17) and" to --underneath the runner limbs (17)--

deleted line 32

line 33, deleted "(18) of the floor runner (13)"

line 36, changed "by means of" to --via--

claim 4,

line 4, deleted "running all the way around the castor"

line 5, deleted "(12) and"

Art Unit: 3634

line 7, inserted --each disposed at a respective one of said-- following "(20)"
changed line 8 to --sides of the guide rum (19) and resting on--
changed line 9 to --the runner limbs (17) of the floor--

claim 5,

line 3, inserted --thereof-- following "region"

claim 8,

line 2, deleted "resting on the- floor runner"
changed line 3 to --(13) are each outwardly directed with respect to said guide
rim and have a sloping inclination of approximately 5 degrees relative to said floor
runner.--

claim 10,

line 2, changed "for" to --of--

cancelled claim 11

claim 21,

line 3, deleted "transversely directed"
line 4, inserted --transversely directed with respect to and-- following "(23)"
line 8, deleted "on"

line 9, changed "rolls" to --rollably engages--

line 10, changed "attached to the hub (25)" to --mounted on the hub (25), the
securing member--

line 11, changed "formed at" to --disposed--

line 12, inserted --on the hub (25)-- following "mounted" and deleted "on the fixed
hub (25)"

line 13, inserted --each-- following "members" and changed "with" to --, each said
securing hook including a--

line 14, changed "projections" to --projection-- and changed "enter" to --extend
into--

line 15, changed "on both sides of the castor (12)" to --with one of said anchoring
members in front of said castor in a direction in which the castor rolls and another one
of said anchoring members behind said castor in said direction--

line 16, changed "anchored" to --retained-- and deleted "and are"

line 17, deleted "arranged in line with the guide slot (18)"

line 19, changed "by means of" to --via--

claim 22,

line 3, deleted "running all the"

line 4, deleted "way around the castors (12) and"

line 5, changed "that are formed on both" to --each disposed at a respective one
of said--

changed line 6 to --(19) and resting on a respective one of the runner limbs (17)--
line 7, deleted "slot (18)"

claim 23,

line 2, inserted --thereof-- following "region"

claim 24,

changed line 2 to --surfaces (20) are each outwardly directed with respect to said
guide rim and have a sloping inclination of approximately 5 degrees relative to said floor
runner.--

claim 25,

line 2, changed "for" to --of--

cancelled claim 26

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Gregory J. Strimbu whose telephone number is 571-
272-6836. The examiner can normally be reached on Monday through Friday 8:00 to
4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor, Katherine Mitchell can be reached on 571-272-7069. The fax phone

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gregory J. Strimbu/
Primary Examiner, Art Unit 3634